

دیواری (30 تا 100 CM) از جنس استنلس استیل و پلاستیک مولتی وینگ (با موتور اسپانیایی یا آلمانی یا موتورن)

WALL TYPE (30 TO 100 CM) STAINLESS STEEL AND PLASTIC MULTIWING (SPANISH AND GERMAN AND MOTOGEN MOTOR)

PERFORMANCE DATA OF ECI SERIES

item	TYPE	Speed R.P.M	Input Watt	A		Q (m ³ /h) in P.(pa)														Sound Level
				220V	380V	0	10	20	30	40	50	60	70	80	100	150	200	250	300	
1	ECI300.2.S	2800	360	1.70	.	3700	3650	3600	3550	3500	3425	3350	3300	3250	3050	2800	.	.	.	54
2	ECI300.2.T	2800	370	.	0.65	54
3	ECI300.4.S	1400	95	0.45	.	2050	1900	1800	1650	1500	1300	48	
4	ECI300.4.T	1400	95	.	0.22	46	
5	ECI350.2.S	2800	690	3.20	.	5500	5425	5350	5285	5220	5150	5080	5015	4950	4800	4500	.	.	59	
6	ECI350.2.T	2800	700	.	1.35	58	
7	ECI350.4.S	1400	190	0.85	.	3300	3170	3000	2850	2650	2250	2000	47	
8	ECI350.4.T	1400	155	.	0.34	47	
9	ECI400.4.S	1400	265	1.30	.	4900	4675	4500	4325	4150	3950	3750	3600	3200	51	
10	ECI400.4.T	1400	270	.	0.62	51	
11	ECI450.4.S	1400	380	1.80	.	6500	6350	6200	6000	5600	5400	5200	4860	4550	53	
12	ECI450.4.T	1400	380	.	0.75	50	
13	ECI500.4.S	1400	600	2.85	.	8150	8900	8650	8450	8300	7700	7300	6850	6500	5050	.	.	.	54	
14	ECI500.4.T	1400	600	.	1.20	54	
15	ECI550.4.S	1400	800	4.00	.	11000	10700	10300	10000	9800	9550	9250	8900	8600	7700	.	.	.	55	
16	ECI550.4.T	1400	750	.	1.50	55	
17	ECI550.6.S	900	280	1.35	.	7400	7000	6500	5580	4750	48	
18	ECI550.6.T	900	280	.	0.70	48	
19	ECI800.4.S	1400	1800	9.6	.	18800	18500	18300	18000	17600	17200	16700	16500	16100	15400	13500	.	.	65	
20	ECI800.4.T	1400	1800	.	3.20	65	
21	ECI800.6.S	900	600	2.70	.	12400	11100	10500	9700	9360	8500	7200	56	
22	ECI800.6.T	900	600	.	1.30	56	
23	ECI700.4.T	1400	2650	.	5.00	26000	25700	25400	25000	24700	24300	23900	23400	22900	21600	18200	10000	6500	68	
24	ECI700.6.S	900	850	.	1.90	18800	18000	17000	16000	15100	14200	13300	12000	57	
25	ECI800.4.T	1400	3500	.	8.00	32400	32000	31600	31200	30800	30000	29800	29200	28800	25200	20900	12000	.	69	
26	ECI800.6.T	900	1250	.	2.80	22300	21800	20900	20000	19000	18400	17000	15800	14000	80	
27	ECI900.4.T	1400	4820	.	8.6	58500	57500	56200	55000	53800	52100	50900	48000	45500	42800	38000	38100	37200	37900	80
28	ECI900.6.T	900	2880	.	5.9	45000	44550	44000	43600	43100	42600	42200	41800	41700	41500	40200	38800	.	80	
29	ECI1000.4.T	1400	6630	.	12	68000	66900	65800	64700	63600	62500	60800	59100	57400	55700	54000	.	.	84	
30	ECI1000.6.T	900	3620	.	7.4	55800	55100	54400	53700	53000	52300	51600	51000	50200	49500	48600	46800	45400	44000	85

* S&T = Single & Three phase power supply .

** Pressure leve (dB) of Fan sound at 250 cm distance.

شدت صدای هواکش در فاصله 250 سانتیمتری (بر اساس مقیاس دسی بل) $M^3/h \times 0.589 = c. f. m$

نیروی برق سه فاز = T نیروی برق تکفاز = S





